

rock drill shank adapter compatible with atlas copco

The rock drill shank adapter is made of high-quality alloy steel and is manufactured through precision forging and carburizing heat treatment processes.

Enhanced Flushing System Rock Drill Shank Adapter

The rock drill shank adapter adopts an enhanced flushing medium delivery design. The internal channel efficiently delivers air and water flushing mediums to the drill bit, ensuring continuous chip removal and preventing bit clogging, thus achieving sustained drilling capability.

Available Models for Atlas Copco Rock Drills

Users can select different models of shank adapters suitable for various Atlas Copco rock drills, as listed below:

- Cop 1032
- Cop 1032 HL
- Cop 1036, Cop 1038, Cop 1238




<https://www.beentools.com>

- Cop 2150, Cop 2550
- Cop 1036, Cop 1038, Cop 1238
- Cop 1440, Cop 1550, Cop 1838
- Cop 1638, Cop 1838AW
- Cop 1840, Cop 1850
- Cop 4050 MUX
- Cop 1032
- Cop 2560EX
- Cop 3060MEX



Technical Information of the Shank Adapter

- **Length:** 485 mm, 500 mm, 510 mm, 840 mm, etc.
- **Diameter:** 38 mm, 45 mm, 63 mm, etc.
- **Thread type:** R28, R32, R35, R38, T38, T45, T51, and GT60.


rock drill shank adapter compatible with atlas copco

Atlas Copco Shank adapters	L mm	D mm	Thread	Order number	Weight kg
Cop 1032 	550	45	R28	B418-4555-5153	4.9
	550	45	R32	B418-4555-5154	5.1
	550	45	R35	B418-4555-5155	5.2
	550	45	R38	B418-4555-5156	5.4


rock drill shank adapter compatible with atlas copco

Atlas Copco Shank adapters	L mm	D mm	Thread	Order number	Weight kg
Cop 1032 HL 	510	45	R32	B418-4551-5154	4.7
	510	45	T38	B418-4551-5176	5.0
Cop 1036, Cop 1038, Cop 1238 	485	38	R32	B418-3848-5154	4.0
	485	38	R35	B418-3848-5155	4.1
	485	38	R38	B418-3848-5156	4.3

rock drill shank adapter compatible with atlas copco

Atlas Copco Shank adapters	L mm	D mm	Thread	Order number	Weight kg
	485	38	T38	B418-3848-5176	4.2
Cop 1036, Cop 1038, Cop 1238 	500	38	R32	B418-3850-5154	4.0
	500	38	T38	B418-3850-5176	4.4
	500	45	T45	B418-4550-5177	5.0



rock drill shank adapter compatible with atlas copco

Atlas Copco Shank adapters	L mm	D mm	Thread	Order number	Weight kg
Cop 1036, Cop 1038, Cop1238 	575	38	R32	B418-3857-5154	4.6
	575	38	R35	B418-3857-5155	4.7
	575	38	R38	B418-3857-5156	4.9
	575	38	T38	B418-3857-5176	4.8
	575	45	R32	B418-4557-5154	5.2

rock drill shank adapter compatible with atlas copco

Atlas Copco Shank adapters	L mm	D mm	Thread	Order number	Weight kg
	575	45	R38	B418-4557-5156	5.4
	575	45	T38	B418-4557-5176	5.4
	575	45	T45	B418-4557-5177	5.8
Cop 1440, Cop1550, Cop1838	435	38	R32	B418-3843-9154	3.6
	435	38	R38	B418-3843-9156	3.9



rock drill shank adapter compatible with atlas copco

Atlas Copco Shank adapters	L mm	D mm	Thread	Order number	Weight kg
	435	38	T38	B418-3843-9176	3.8
Cop 1440, Cop1550, Cop1838 	525	38	R32	B418-3852-9154	4.5
	525	38	R35	B418-3852-9155	4.6
	525	38	R38	B418-3852-9156	4.7



rock drill shank adapter compatible with atlas copco

Atlas Copco Shank adapters	L mm	D mm	Thread	Order number	Weight kg
	525	38	T38	B418-3852-9176	4.7
	525	52	T38	B418-5252-9176	5.9
	525	52	T45	B418-5252-9177	6.1
	525	52	T51	B418-5252-9178	6.5


rock drill shank adapter compatible with atlas copco

Atlas Copco Shank adapters	L mm	D mm	Thread	Order number	Weight kg
Cop 1638, Cop1838AW 	525	38	R32	B418-3852-9154	4.5
	525	38	T38	B418-3852-9176	4.7
Cop 1840, Cop 1850 	565	52	T38	B418-5256-9176	6.6
	565	52	T45	B418-5256-9177	6.8
	565	52	T51	B418-5256-9178	7.2



rock drill shank adapter compatible with atlas copco

Atlas Copco Shank adapters	L mm	D mm	Thread	Order number	Weight kg
Cop 4050 MUX	835	90	ST58	B418-9083-9129	26.8
	835	90	ST68	B418-9083-912B	26.9
	835	90	ST68	B41C-9083-912B	27.0


rock drill shank adapter compatible with atlas copco

Atlas Copco Shank adapters	L mm	D mm	Thread	Order number	Weight kg
Cop2150, Cop2550 	770	52	T38	B418-5277-9176	8.6
	770	52	T45	B418-5277-9177	9.0
	770	52	T51	B418-5277-9178	9.6
Cop1032 (internal)	340	45	R28	B412-4534-5053	4.9
	340	45	R32	B412-4534-5054	4.5

rock drill shank adapter compatible with atlas copco

Atlas Copco Shank adapters	L mm	D mm	Thread	Order number	Weight kg
	340	55	R38	B412-5524-5056	4.3
<p>Cop2560EX</p> 	770	63	T51	B4112-6377-9178	13.7

rock drill shank adapter compatible with atlas copco

Atlas Copco Shank adapters	L mm	D mm	Thread	Order number	Weight kg
Cop3060MEX	840	60	GT60	B4112-6084-918A	17.2
	840	60	T51	B4112-6084-9178	16.3